



LED Light Catalogue

Correspondence address

Unit 508, 5/F, Block D, Victorious Factory Building, 33A-37A Tseuk Luk Street, San Po Kong, Kowloon, Hong Kong

Tel: +852-25551284 ~ Fax: +852-25546749

Gen. 4 TUV Listed T8 LED Tube-100-110lm/w

| Photo | Part No. | Length | Input Voltage | Power | LEDs | CRI | Cover | CCT | Light Efficiency |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|---------------|------------|-------------------|-----------|-------------------|----------------------------------------|------------------|
|  <p>Product Service</p>  | LD-T8-A008TUV | 600mm | AC200-240V | 8W | 63pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A010TUV | 600mm | AC200-240V | 10W | 84pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A013TUV | 900mm | AC200-240V | 13W | 96pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A015TUV | 1200mm | AC200-240V | 15W | 110pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A018TUV | 1200mm | AC200-240V | 18W | 125pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A022TUV | 1500mm | AC200-240V | 22W | 156pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |
| | LD-T8-A024TUV | 1500mm | AC200-240V | 24W | 168pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 100lm/w |


120-140lm/w





Product Service







| | | | | | | | | |
|---------------|---------------|------------|------------|-------------------|-----------|---------------------------|----------------------------------------|----------------|
| LD-T8-A008TUV | 600mm | AC200-240V | 8W | 63pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A010TUV | 600mm | AC200-240V | 10W | 84pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A013TUV | 900mm | AC200-240V | 13W | 96pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A015TUV | 1200mm | AC200-240V | 15W | 110pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A018TUV | 1200mm | AC200-240V | 18W | 125pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A022TUV | 1500mm | AC200-240V | 22W | 156pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |
| LD-T8-A024TUV | 1500mm | AC200-240V | 24W | 168pcs SMD2835 | 80 | Clear/ Frosted | 2800-3500k 3800-4500k 5500-6500k | 120lm/w |

| New T8 LED Tube light | | | |
|-----------------------|-----------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------|
| s/n. | Product photo | ITEM | DESCRIPTION |
| 1 |  | 2ft 8-9W T8 LED Tube light | AC100-240V, 600mm, 840lm, 3 years warranty, Ra>80, THD<15% ,PF>0.9, beam angle 200 degree,AL+PC |
| 2 | | 4ft 18W T8 LED Tube light | AC100-240V, 1200mm, 1890lm, 3 years warranty, Ra>80, THD<15%, PF>0.9, beam angle 200degree, AL+PC |
| 3 | | 5ft 22W T8 LED Tube light | AC100-240V, 1500mm, 2310lm, 3 years warranty, Ra>80, THD<15%, PF>0.9 ,beam angle 200degree, AL+PC |

Linear LED Ceiling Light




| No. | Product Photo | Part No. | Description |
|-----|-----------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| | | | LED Down Light |
| 1 |  | LD-CL-A018 | AC180-240V, 656*90*30mm , 18W , 1800lm, Ra.>80, PF>0.9, frosted lens, beam angle:120 degree, 3000K/4000K/5000K/6000K, 3 years warranty |
| 2 |  | LD-CL-A036 | AC180-240V, 1266*90*30mm, 36W , 3600lm, Ra.>80, PF>0.9, frosted lens, beam angle:120 degree, 3000K/4000K/5000K/6000K, 3 years warranty |

Newest LED Pendant Light



| No. | Product Photo | Part No. | Description |
|----------------------------------------------------|-----------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| s a m e d e s i g n |  | LD-PD-C030 | New led pendant light with driver, connectable by direct line, 1155*150*67.8mm, 264pcs SMD2835, AC180-240V, 30W , 3000lm, Ra.82, PF0.95, angle 120°, frosted cover / transparent cover, CCT 2800-3500, 3800-4500K, 5500-6500K, 3 years warranty |
| |  | LD-PD-C036 | New led pendant light with driver, connectable by direct line, 1155*150*67.8mm, 264pcs SMD2835, AC180-240V, 36W , 3600lm, Ra.82, PF0.95, angle 120°, frosted cover / transparent cover, CCT 2800-3500, 3800-4500K, 5500-6500K, 3 years warranty |
| |  | LD-PD-C045 | New led pendant light with driver, connectable by direct line, 1155*150*67.8mm, 360pcs SMD2835, AC180-240V, 45W , 4500lm, Ra.82, PF0.95, angle 120°, frosted cover / transparent cover, CCT 2800-3500, 3800-4500K, 5500-6500K, 3 years warranty |
| |  | LD-PD-C054 | New led pendant light with driver, connectable by direct line, 1155*150*67.8mm, 408pcs SMD2835, AC180-240V, 54W , 5400lm, Ra.82, PF0.95, angle 120°, frosted cover / transparent cover, CCT 2800-3500, 3800-4500K, 5500-6500K, 3 years warranty |



New LED Pendant Light--CE Version

| No. | Product Photo | Part No. | Description |
|----------------------------------------------------|------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| s a m e d e s i g n |  | LD-PD-D030 | New led shop light, connectable, 1162*154*75.2mm, SMD2835, AC180-240V, 30W , 3000lm, Ra.82, PF0.95, angle 120°, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000K, 3 years warranty |
| |  | LD-PD-D036 | New led shop light, connectable, 1162*154*75.2mm, SMD2835, AC180-240V, 36W , 3600lm, Ra.82, PF0.95, angle 120°, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000K, 3 years warranty |
| |  | LD-PD-D040 | New led shop light, connectable, 1162*154*75.2mmmm, SMD2835, AC180-240V, 40W , 4000lm, Ra.82, PF0.95, angle 120°, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000K, 3 years warranty |

New LED Vapor Tight Light--CE/RoHS

| No. | Product Photo | Part No. | Description |
|-------------|----------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| same design |  | LD-TL-B024 | New led vapor tight light, 600*96*83mm, 140pcs SMD2835, AC100-240V, 24W , 2400/2640lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |
| | | LD-TL-B030 | New led vapor tight light, 600*96*83mm, 180pcs SMD2835, AC100-240V, 30W , 3000/3300lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |
| |  | LD-TL-B040 | New led vapor tight light, 1200*96*83mm, 240pcs SMD2835, AC100-240V, 40W , 4000/4400lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |
| | | LD-TL-B050 | New led vapor tight light, 1200*96*83mm, 308pcs SMD2835, AC100-240V, 50W , 5000/5500lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |
| | | LD-TL-B060 | New led vapor tight light, 1200*96*83mm, 364pcs SMD2835, AC100-240V, 60W , 6000/6600lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |
| | | LD-TL-B080 | New led vapor tight light, 1500*96*83mm, 448pcs SMD2835, AC100-240V, 80W , 8000/8800lm, Ra.80, PF0.95, angle 120°, waterproof IP65, frosted cover / clear cover, 3000/3500/3700/ 4000/4500/5000/6000K, 3 years warranty |



Newest 4G LED Panel Light

| No. | Product Photo | Description |
|-----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | LD-PN-D036 | AC100~240V, 595*595mm, 36W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, white color frame, 3 years warranty |
| 2 | LD-PN-D040 | AC100~240V, 595*595mm, 40W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, white color frame, 3 years warranty |
| 3 | LD-PN-D045 | AC100~240V, 595*595mm, 45W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, white color frame, 3 years warranty |
| 4 | LD-PN-D036 | AC100~240V, 295*1195mm, 36W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, silver color frame, 3 years warranty |
| 5 | LD-PN-D040 | AC100~240V, 295*1195mm, 40W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, silver color frame, 3 years warranty |
| 6 | LD-PN-D045 | AC100~240V, 295*1195mm, 45W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, silver color frame, 3 years warranty |
| 7 | LD-PN-D060 | AC100~240V, 595*1195mm, 60W , 80-90lm/w, Ra.>80, PF 0.95, angle 120°, CCT 2800-3500, 3800-4500k, 5500-6500k, silver color frame, 3 years warranty |

Remarks: Can be OEM--Put customer's logo and item no.